

20/553723

JC20 Rec'd PCT/PTO 14 OCT 2005

SEQUENCE LISTING

<110> NATIONAL INSTITUTE OF AGROBIOLOGICAL SCIENCES

<120> METHOD OF DISTINGUISHING EAR SHAPE AND RESISTANCE AGAINST GIBBERELLA ZEAE
AND METHOD OF IMPROVING BARLEY PLANT USING THE SAME

<130> MOA-A0301P

<150> JP 2003-110682

<151> 2003-04-15

<160> --7

<170> PatentIn version 3.1

<210> 1

<211> 1091

<212> DNA

<213> Hordeum vulgare

<400> 1

gactgcgtac caattcgctg aggtacttgc tcgcataagtc atgggtgtct ttgcaaaactg 60

ccaagaagct ctcgtgcata tagtatgggt ccgcgcgtca gatataatttg atgctctccg 120

tcctgtatgaa gtagttgaga tacagcgtat acatgcggat gaactggaaa tccaaacttgg 180

tcatgtggaa catattttagt atgtatgtcaa atcgcaggag gaattgatttc gcggggccagg 240

tatcgaagta caccttccca cccggcacct gagccgcgtta aagcgggtat cctgaatctt 300

tcacgaccag aaggcttttc tctctggcca gcacatcttc atggagtctc ttttagatcat 360

tgttcagtagc gtgatctatt gtttggcag gtaggatcgg ctgccggcg acatggaaat 420

gcttcttacc ttgcacgggt attctgtcta ccacccgggg ttccagaggc ggctagctgc 480

ttgaagcatc tatggcgcct ttaagggcct ttccctggcca gtctcttcct ttgcttctt 540

gtgggtggcg gtagtgaacc caccataacct tccctaacca gcacccccag tgtcatcg 600

ctagacagtg gacggcctcg gggggttgt ggctagaggt ggcacatctcgaa ggcgtctcct 660

gcgaggatgg cttgaagaga gacttttgc attccacacctt aggacgttcc ggctccggaa 720

aatcaggcaa catcaagtca tcgtctccac actcatagcc tatttcttcg ggcgtcatgag 780

ccatcaatcc atcataggcg gtattgaaat acttgcgttgc gtcctcatca tcacccatcc 840

tgtcattatc aacatttgc tcttcgacag tgggggtgaca tgatctggca ctaatggagg 900

ctctccctcg cggtgtacgc taccatcatc tgccacgaca ggtgcaagta atttggtagg 960

tgggatggtg ttcatacctt cttgagaagg tggcgttgaa gtgatactgg gtcctcgag 1020

acgaataaga gacttcggcc aaggcaagaa tcagtttttgc catgcgcacaa tcacccatcc 1080

caggactcat c 1091

<210> 2
<211> 253
<212> DNA
<213> Hordeum vulgare

<400> 2
gactgcgtac caattcgact agccatgggt gtgtatgtat ggcacatggg agtaaaacgt 60
tacaattctt tttgggaacc acacataatg agtatacgat ggaagatact aataacgttt 120
gtcgtaacgt tcacagtaaa gaacaccact caaaattata tttcaatcc cgcttgaaa 180
acttgagctc taggacttgt gcaaataat gcttacctct gcaaagggtc tatctattta 240
ctcaggactc atc 253

<210> 3
<211> 260
<212> DNA
<213> Hordeum vulgare

<400> 3
gactgcgtac caattctatt agtgacaatc atgctaaaaa tatgcaaaac cctaagcttg 60
gggatgctag ttttgctatg accactacat gattgggtta ataatttttc ttatttgac 120
atccccggat ttaggctaca gtaatcttgg taattgaact acagtaaaca tatgcaaagg 180
atgccacatc atcgtgattc tattattgtat ctctgtatag tcgaaaccga gtcgaaaatc 240
gaagttactc aggactcatc 260

<210> 4
<211> 158
<212> DNA
<213> Hordeum vulgare

<400> 4
gactgcgtac caattcctgt gtgggaaggg gaaaacccaa gccatcatca tcaccaacgc 60
ttcctccttc gtgggaggat cgatcttcat caacatattc accagcacca tctcatgtcc 120
aacccctagtt catctcgat atttactcag gactcatc 158

<210> 5
<211> 514
<212> DNA
<213> Hordeum vulgare

<400> 5

gactgcgtac caattcctgc tggagaaaaga cgagggtgctg gaggtggttg tcggtaaga 60
gcacgttcag ctgcgtctag acggagtagg caccatcatc atcatgaacc accgtgtcga 120
agagatcctt cgagatggtg tggaaagaatg tcacgccaa gatgcgaccc tatcctcaat 180
ttggcacgaa ggccttgtca tggatagaag cgcatctcggt cggtcgcaa gaatggatat 240
cgttacaagt acatgtactg aaaagaagag atatatata aattggctta cactcgccac 300
aagctacatc agagtcacat cagtagatcata cataatcatc aagagcaaga gcagggtccg 360
actacggacg aaaacaaacg ataaaaataa gaacagcgtc cgcccttgct atcccaggct 420
gccggcctgg aacccatcct agatcgatga agaagaagaa gaagaagcaa ctccaaatga 480
acaatcaagg cgctcgcggtt actcaggact catc 514

<210> 6
<211> 20
<212> DNA
<213> Artificial

<220>
<223> an artificially synthesized primer sequence

<400> 6
atggttgtt atgtatggca 20

<210> 7
<211> 20
<212> DNA
<213> Artificial

<220>
<223> an artificially synthesized primer sequence

<400> 7
cagaggtaag cattgatgg 20